

iD Inspiration Loose-Lay

LUXURY VINYL TILES

Combine fast
and versatile
installation with
timeless designs



EDITO

Easy to lay and take up again, iD Inspiration Loose-Lay perfectly adheres to the ground thanks to its patented herringbone pattern and sets new standards for easy-lay flooring. Designed for swift installation and ease of use, this collection is the best option for a reliable and fast renovation. Moreover, a long product lifespan is achieved by beautiful high quality materials which come in a palette of soft muted colours. With its broad range of 36 elegant and trendy woods, minerals and artistic designs, iD Inspiration Loose-Lay enables a wide variety of combinations for styling interiors with a modern uncluttered look.

CONTENTS

DESIGNS

WOODS	04
MINERALS	22
ARTISTIC	32
DOING GOOD. TOGETHER.	44

TECHNICAL BENEFITS

A UNIQUE LAYING TECHNOLOGY FOR FAST INSTALLATION	46
CHOOSE THE MOST CONVENIENT LOOSE-LAY SOLUTION	47

COLLECTION

iD INSPIRATION LOOSE-LAY COLLECTION	48
EMBRACE OUR INNOVATIVE LAYOUTS	52

TECHNICAL SPECIFICATIONS	54
---------------------------------	-----------



Woods

SCANDINAVIAN OAK
LIGHT BEIGE
24640024

METAL PLATE
GRID
24644037

LIMED OAK

This well balanced design is a perfect starting point for creating exciting ambiances, based on a timeless, yet contemporary design.



BEIGE
24640000




GREY
24640001



HONEY
24640019



GREY
SCALE 150%



Flooring layout



LIMED OAK
BEIGE - GREY
24640000 - 24640001



ELEGANT OAK
BEIGE - NATURAL
24640014 - 24640015

ELEGANT OAK

Rugged in its looks, Elegant Oak is an appealing wood design inspired by the distinctive knots, grain and texture of oak for a beautiful organic feel.




BEIGE
24640014



NATURAL
24640015



NATURAL
SCALE 150%



Flooring layout

DELICATE WOOD

A simple and sleek design resulting in an elegant, sophisticated expression that immediately invokes peace of mind.



WHITE
24640011




GREGE
24640012



BLACK
24640013



WHITE
SCALE 150%



Flooring layout



DELICATE WOOD
WHITE - GREGE - BLACK
24640011 - 24640012 - 24640013



MOUNTAIN OAK
NATURAL
24640003

MOUNTAIN OAK

Venture into the woods with this modern rustic flooring and add an element of warmth to your interior. The design features knots and cracks, resulting in a beautifully aged effect.




NATURAL
24640003



BLACK
24640005



NATURAL
SCALE 150%



Flooring layout

SAWN OAK


Nothing can create instant warmth quite like a brown wooden floor. Sawn Oak features rich, earthy tones that create the perfect backdrop for luxury or traditional living.




GREY
24640016



BROWN
24640017



GREY
SCALE 150%



Flooring layout



SAWN OAK
GREY - BROWN
24640016 - 24640017



CHRISTMAS PINE
WHITE - NATURAL
24640006 - 24640007

CHRISTMAS PINE

Nature is evermore present in all minds. With its soft hues and small and tight knots, Christmas Pine lends an air of softness and purity to the interior.




WHITE
24640006



NATURAL
24640007



NATURAL
SCALE 150%



Flooring layout

LIVING OAK

Dark floors are always trendy and in style. Our Living Oak designs bring richness to the interior through three different nuances.



BROWN
24645020




GREY
24645021



NATURAL
24645022



GREY
SCALE 150%



Flooring layout



LIVING OAK **MARBLE**
GREY **BLACK**
24645021 24644030



SCANDINAVIAN OAK
 LIGHT BEIGE
 24640024

METAL PLATE
 GRID
 24644037

SCANDINAVIAN OAK

Combined together, this inseparable trio sets the mood with a harmonious, natural base of grey tones. Scandinavian Oak also mixes beautifully with our mineral designs.



LIGHT GREY
 24640023




LIGHT BEIGE
 24640024



MEDIUM BEIGE
 24640025



LIGHT GREY
 SCALE 150%



Flooring layout



Minerals

MARBLE
BLACK
24644030

LIVING OAK
GREY
24645021

BETON

Beton gives you a "cool" ambiance with mineral glazes that goes well with today's contemporary architecture trend. The material's ability to blend with other designs makes for a superbly seamless pairing.




GREY
24641002



LIGHT GREY
24641026



GREY
SCALE 150%



Flooring layout



BETON
GREY - LIGHT GREY
24641002 - 24641026



CONCRETE
ANTHRACITE - WHITE
24644028 - 24644029

CONCRETE

Appearing in trendy retail spaces, upscale offices and dining establishments, Concrete is the flooring material of choice for no other material can be that classic and modern at the same time. Our offer ranges from light to dark tones.



SAND
24644027




ANTHRACITE
24644028



WHITE
24644029



ANTHRACITE
SCALE 150%




Flooring layout

MARBLE


Prized for its beauty, style, and elegance, Marble is at the top of the game. With its ability to provide an alluring and unique aesthetic this design brings out the personality of your floors.




BLACK
24644030



BLACK
SCALE 150%



Flooring layout



MARBLE
BLACK
24644030

LIVING OAK
GREY
24645021



SLATE
RELAXED
24644031

SLATE


Our Slate design comes in a deep charcoal tone that provides a dramatic statement to any interior.



RELAXED
24644031



RELAXED
SCALE 150%



Flooring layout



Artistic

MODERN TERRAZZO
BLACK / GREY
24644036 / 24644035

METAL PLATE
SAND
24644038

COTTON

Cotton creates welcoming atmospheres and a wonderful feeling of comfort. When playing with different directional laying techniques you can add perspective that varies according to light intensity.



BROWN
24644032




LIGHT GREY
24644033



MEDIUM GREY
24644034



LIGHT GREY
SCALE 150%



Flooring layout



COTTON
LIGHT GREY - MEDIUM GREY
24644033 - 24644034



MODERN TERRAZZO
GREY - BLACK
24644035 - 24644036

MODERN TERRAZZO


Full of heritage and history, Modern Terrazzo brings back the old ways of handcrafted flooring, but with updated colours. The small colour inlays create exciting all-over patterns.




GREY
24644035



BLACK
24644036



BLACK
SCALE 150%



Flooring layout

METAL PLATE


Designed to mimic a real metal floor, Metal Plate adds a modern industrial look with a beautiful finish. It blends well with wooden furniture, offering unique and unconventional ambiances.




SAND
24644038



SAND
SCALE 150%



Flooring layout



METAL PLATE
SAND
24644038

LIVING OAK
BROWN
24645020



METAL PLATE
GRID
24644037

SCANDINAVIAN OAK
LIGHT BEIGE
24640024

METAL PLATE


Enhancing these concrete tiles with a delicate graphic pattern guarantees a gorgeous glow and puts the finishing touches that will set your style.



GRID
24644037



GRID
SCALE 150%



Flooring layout

BEACH WOOD

These Beach Wood designs will not go unnoticed. With its reclaimed and up-cycled look, this flooring creates the perfect beach house effect for vibrant spaces.




BEIGE
24640009



GREY
24640010



BEIGE
SCALE 150%



Flooring layout



BEACH WOOD
BEIGE - GREY
24640009 - 24640010

CONCRETE
WHITE
24644029



Doing Good. Together.

At Tarkett, we believe that together, we can make a positive impact on people and the planet. We strive to make high quality, sustainable flooring to help you create healthier and people-friendly spaces.

We listen to our customers' needs and collaborate with all our stakeholders to design products that deliver optimal performance, promote healthy living and respect natural resources.



We are designing for life

People spend 90% of their time indoors, working, learning and relaxing. We help you to create healthier, safer, more people-friendly indoor spaces by designing high quality, sustainable products. All Tarkett vinyl products manufactured in the European Union are close to 100% phthalate-free. iD Inspiration Loose-Lay also showcases very low VOC emissions for optimal indoor air quality. Through our focus on Cradle to Cradle® design, we make our products in a way that helps to preserve natural resources and mitigate climate change.



We are closing the loop

iD Inspiration Loose-Lay is 100% recyclable. It is eligible to our ReStart® takeback programme. With our ReStart® takeback programme, we help you to manage your flooring waste effectively while contributing to safeguarding the world's natural resources and protecting the environment. We recycle your flooring offcuts and waste from our production, transforming it into new, high quality products. In this way, we can collectively close the loop and shift to a circular economy.



We're driving collaboration.


The world's great sustainability challenges require co-operation and partnership across industries and supply chains. We encourage our customers and all our stakeholders to join us in working toward positive change. Importantly, we communicate our sustainability progress transparently, and provide you with clear information about our products and ambitions.

Doing Good. Together.

Every day, we strive to improve people's lives, preserve natural resources and respect our environment.

A UNIQUE LAYING TECHNOLOGY FOR FAST INSTALLATION

Product construction



1
TopClean XP™
UV photo crosslinked polyurethane which permanently suppresses any wax and regenerating operations, allows for easy maintenance and extra resistance to scuffs, scratches and stains.

2
Wear layer
0.55 mm for commercial traffic resistance.

3
Printed film
in 36 different wood, stone and artistic designs.

4
Core layer
for proper resistance to indentation.

5
Glass fiber reinforcement
for perfect dimensional stability.

6
Bottom layer
for a solid basis to the product.

7
Balancing layer
for a curl-free product.

8
Tarkett exclusive herringbone anti-skid backing
for exceptional adherence to the subfloor and skid resistance in all directions.

Our exclusive anti-skid backing showcases a patented herringbone pattern which prevents the floor from sliding in all directions.



CHOOSE THE MOST CONVENIENT LOOSE-LAY SOLUTION



THE EASIEST LAYING TECHNIQUE

Inspired by industrial security flooring, iD Inspiration Loose-Lay's exclusive antiskid backing ensures an enhanced adherence to the subfloor. The patented herringbone pattern prevents the floor from sliding, allowing for an easy installation that requires no adhesive. For long standing worry-free installation, we recommend tackifier for areas larger than 16m²*.

*Please refer to installation instructions for further details.



EXCELLENT DIMENSIONAL STABILITY

Our iD Inspiration Loose-Lay flooring is manufactured using the latest techniques and technology. This helps achieve maximum dimensional stability, thanks to its balancing layer that yields a curl-free product, as well as a flawless appearance.



36 DESIGNS

iD Inspiration Loose-Lay designs display three major themes including premium wood, minerals and exclusive creative designs that use a high definition printing technology.



EXTREMELY FAST INSTALLATION

3 times quicker than a glue-down LVT**
1.5 times quicker than a traditional LVT Click**

Ideal for fast renovation, this collection requires limited subfloor preparation. Thanks to the product's thickness and the anti-skid backing, bridging slight subfloor unevenness is possible. iD Inspiration Loose-Lay can be installed overnight, reducing business downtime.

**Estimation based on Tarkett's internal tests.



MIX AND MATCH APPROACH

All 36 designs can be mixed together to carry out elegant, creative projects and bring unexpected style to your floor. You can surely find the combination that best suits your expectations. Please refer to your professional installer when making your plans. You can consult our layouts book on pages 52 & 53.



PRACTICALITY AT ITS BEST

Easy to install and just as easy to remove, without damaging the substrate, it provides effortless access to the technical subfloor and demands little maintenance over time. Highly resistant and durable, iD Inspiration Loose-Lay is treated with the Tarkett TopClean XP™ coating, extending its life-cycle and making it easier to clean.



ENVIRONMENTAL PERFORMANCE

iD Inspiration Loose-Lay is 100 % recyclable. It is close to 100% Phthalate-free and displays low levels of VOC emissions, under 100µg/m³ after 28 days, for better indoor air quality.

iD INSPIRATION LOOSE-LAY COLLECTION

LIMED OAK

22.9 x 121.9 cm



BEIGE
24640000

GREY
24640001

HONEY
24640019

ELEGANT OAK

22.9 x 121.9 cm



BEIGE
24640014

NATURAL
24640015

SCANDINAVIAN OAK

22.9 x 121.9 cm



LIGHT GREY
24640023

LIGHT BEIGE
24640024

MEDIUM BEIGE
24640025

DELICATE WOOD

22.9 x 121.9 cm



WHITE
24640011

GREGE
24640012

BLACK
24640013

MOUNTAIN OAK

22.9 x 121.9 cm



NATURAL
24640003

BLACK
24640005

LIVING OAK

25.4 x 152.4 cm



BROWN
24645020

GREY
24645021

NATURAL
24645022

SAWN OAK

22.9 x 121.9 cm



GREY
24640016

BROWN
24640017

CHRISTMAS PINE

22.9 x 121.9 cm



WHITE
24640006

NATURAL
24640007

iD INSPIRATION LOOSE-LAY COLLECTION

BETON 30.5 x 61 cm



GREY
24641002

LIGHT GREY
24641026

CONCRETE 60 x 60 cm



SAND
24644027

ANTHRACITE
24644028


WHITE
24644029

MARBLE 60 x 60 cm



BLACK
24644030

SLATE 60 x 60 cm



RELAXED
24644031

MODERN TERAZZO 60 x 60 cm



GREY
24644035

BLACK
24644036

COTTON 60 x 60 cm



BROWN
24644032

LIGHT GREY
24644033

MEDIUM GREY
24644034

METAL PLATE 60 x 60 cm



SAND
24644038



GRID
24644037

BEACH WOOD 22.9 x 121.9 cm




BEIGE
24640009

GREY
24640010

EMBRACE OUR INNOVATIVE LAYOUTS

Inspired by woods, minerals and design trends, our iD Inspiration Loose-Lay flooring allows for endless tone-on-tone or contrasted installation possibilities.


RANDOM



LADDER



MOSAIQUE



STAGGERED



BASKET WEAVE BLOCK



BRAID



FUNKY HERRINGBONE



STRAIGHT HERRINGBONE



DISSOLVED HERRINGBONE



STAIRS



PATCHWORK



MAZE





FORMATS




25.4 x 152.4 cm



22.9 x 121.9 cm




30.5 x 61 cm



60 x 60 cm

ACCESSORIES

SKIRTING




PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment to perfectly match all designs

📦 2.02 lm skirting in packs x 10

Please refer to page 57 for corresponding SAP codes

PROFILE




TRANSITION PROFILE

Very high traffic aluminium transition profile, to be screwed in

● Silver 1451 011

● Stainless Steel 1451 012

📦 10 units of 2.7 lm




BENDABLE PROFILE

Aluminium stop profile, to be screwed in

● Silver 1456 011

● Stainless Steel 1456 012

📦 10 units of 2.5 lm



RAMP PROFILE


Very heavy traffic aluminium profile, to be screwed in

● Silver 1454 011

● Stainless Steel 1454 012

📦 10 units of 2.7 lm


UNDERLAY



JUMPAX ORIGINAL®

- Levels existing subfloor perfectly via a ready-to-use, dual rigid-board floating system
- Reduces noise by up to 21dB Lw
- Provides greater resistance in heavy-traffic areas with its strong, rigid structure

● Beige 24993 010



MARATHON® DUAL

- Reduces slight unevenness in older subfloors by up to 3mm
- Provides good stability and a freefloating underlay system
- Provides high-impact sound reduction up to 23dB Lw with floor covering
- Requires simple loose-lay installation, no glue needed
- Leaves no residue on floor after removal

24993020

📦 560 x 790mm plates in packs of 12 base + 12 top boards (5.31 m²)

PRODUCT & ACCESSORIES DETAILS

DESIGN	COLOUR	22,9 x 121,9 cm	25,4 x 152,4 cm	30,5 x 61 cm	60 x 60 cm	BEVELS	LRV	SKIRTING
BEACH WOOD	Beige	24640009					35,6	26640753
	Grey	24640010					35,7	26640754
BETON	Grey			24641002			17,5	26640739
	Light Grey			24641026			37,8	26640810
CHRISTMAS PINE	White	24640006					53,1	26640746
	Natural	24640007					20,7	26640745
CONCRETE	Sand				24644027		33,6	26640811
	Anthracite				24644028		24,0	26640812
	White				24644029		51,3	26640813
COTTON	Brown				24644032		21,2	26640816
	Light Grey				24644033		32,5	26640817
	Medium Grey				24644034		21,1	26640818
DELICATE WOOD	White	24640011					50,4	26640758
	Grege	24640012					23,3	26640760
ELEGANT OAK	Black	24640013					7,0	26640759
	Beige	24640014					31,5	26640743
LIMED OAK	Natural	24640015					24,3	26640742
	Beige	24640000					48,9	26640750
LIVING OAK	Grey	24640001					24,3	26640751
	Honey	24640019					25,6	26640803
MARBLE	Brown		24645020				31,3	26640804
	Grey		24645021				17,3	26640805
	Natural		24645022				39,0	26640806
METAL PLATE	Black				24644030		10,3	26640814
	Grid				24644037		15,0	26640821
MODERN TERAZZO	Sand				24644038		28,1	26640822
	Grey				24644035		30,6	26640819
MOUNTAIN OAK	Black				24644036		16,0	26640820
	Natural	24640003					21,6	26640749
SAWN OAK	Black	24640005					5,3	26640747
	Grey	24640016					18,0	26640755
SCANDINAVIAN OAK	Brown	24640017					17,1	26640756
	Light Grey	24640023				4 Bevels	36,7	26640807
	Light Beige	24640024				4 Bevels	25,2	26640808
SLATE	Medium Beige	24640025				4 Bevels	11,9	26640809
	Relaxed				24644031		14,5	26640815

TENDER SPECIFICATIONS

The selected flooring similar to iD Inspiration Loose-Lay belongs to EN ISO 10582:2010 resilient compact floor covering. It is a class 33, high commercial traffic, modular resilient with a PVC Wear Layer of 0,55mm.

It is available in several formats and shapes: Planks of 22,90 x 121,90 cm / 25,4 x 152,4 cm; Tiles of 30,50 x 61 cm / 60 x 60cm.

The wear layer of is reinforced with a UV photo crosslinked polyurethane including particles of alumina TopClean XP™ treatment, which permanently suppresses any wax and regenerating polish spray maintenance operations. It has a static indentation resistance ≤ 0,10mm.

Its emission rate of volatile organic compounds in air is less than 100 µg / m³ (TVOC after 28 days). It is 100% phthalate-free.


iD Inspiration Loose-Lay comes with a 10-Year Warranty.


TECHNICAL DATA SHEET

Classification	Standards	iD Inspiration Loose-Lay	
Classification	EN ISO 10582:2010	Heterogeneous PVC Compact floor covering	
	EN ISO 10874	Commercial: 33 Industrial: 42	
Wear layer binder content	EN ISO 10582	Type I	
Technical characteristics			
Total thickness	EN ISO 24346	4,5 mm	
Wear layer thickness	EN ISO 24340	0,55 mm	
Total weight	EN ISO 23997	7500 g/m²	
Bevelled edges	-	Yes - 4 bevels on 3 references	
Surface treatment (PUR)	-	Yes - TopCleanXP™	
Form of delivery	EN ISO 24342		
	Planks	22,90 x 121,90 cm 25,4 x 152,4 cm	10 planks/box (= 2,79 m²), 52 boxes/pallet (= 145,08 m²) 6 planks/box (= 2,32 m²), 52 boxes/pallet (= 120,74 m²)
	Tiles	30,50 x 61 cm 60 x 60 cm	14 tiles/box (= 2,6 m²), 54 boxes/pallet (= 140,40 m²) 8 tiles/box (=2,88 m²), 40 boxes/pallet (= 115,20 m²)
Performance for CE marking requirement (EN 14041)			
Declaration Of Performance	EN 14041	0131-0055-DoP-2015-01	
Reaction to fire	EN 13501-1	B _{fl} -s1 loose laid on wood panel and A2 _{fl} -s1 or A1 _{fl} class substrate	
Electrostatic properties	EN 1815 EN 1081	<2 kV on concrete > 10 ⁹ Ohm	
Thermal resistance	EN ISO 10456	0,04 m² K/W	
Antislip classification	EN 13893	µ ≥ 0,30	
Technical performances			
Dimensional stability	EN ISO 23999	≤ 0,10%	
Curl resultant to heat	EN ISO 23999	≤ 1 mm	
Impact sound reduction	EN ISO 717-2	ΔLw = 8 dB	
Slip resistance	DIN 51130	R9	
Furniture leg	EN 424	No damage	
Castor chair	ISO 4918	No damage	
Light fastness	EN ISO 105-B02	≥ 6	
Residual indentation	EN ISO 24343-1	≤ 0,10 mm	
Chemical resistance	EN ISO 26987	Very good	
Underfloor heating	-	Suitable - max. 27 °C	
Environmental performances			
Total VOC emission	ISO 16000-9	<100 µg/m³	
Recyclable	-	100%	
Plasticizer	-	Phthalate-free	

The above information is subject to modification for the benefit of further improvement. (11/18).
According to the European Regulation N° 305/2011 for CE Marking, the Declarations of Performance are available on our website www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

Customs Tariff: 4820 5000





■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett Belux Sprl – Tel. +32 (0)52 26 24 11 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000
 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7651 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett BV – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett org. složka – Tel. +420 271 001 600 ■ Hungary: Tarkett Polska SP Z.O.O. magyarországi fióktelepe – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett Polska, organizačná zložka – Tel. +421 2 48291 317 ■ South East Europe: Tarkett SEE – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett Flooring India Pvt. Ltd. – Bangalore – Tel. +91 80 4130 3793 – New Delhi – Tel. +91 11 4352 4073 – Mumbai – Tel. +91 22 2648 8750 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1685 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 61 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett - Tel. +55 11 9 841 09310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. +55 11 9841 09310

The designs and photos used in this brochure are for illustration purposes only.
 They are not contractual images and do not stand for product recommendation.
 Design: AgenceGecko / Photos: Getty images – Studio des plantes / Print: Lamazière

www.professionals.tarkett.com

